CPV 41/25

VACUUM UNIT

TECHNICAL DATA

		CPV 41/25
Part number		9304010
Pump model		9690043
Frequency	**Hz**	50 60
Nominal flow rate	**CFM**	23.55 28.25
Final total pressure	**Torr (Abs)**	3.75
Continuous operating range	**Torr (Abs)**	300 ÷ 3
Tank capacity	**in³**	1525.6
Maximum inlet air temperature	**°F**	104
Oil type		SW60
Noise level (UNI EN ISO 2151±3dB)	**dB(A)**	64 66
Weight	**LBS**	154

07/29/2026 03:42 PM Subject to change without notice

CURVES





NOTE: Curves refer to suction pressure and temperature of 20°C (tolerance ±10%)

CPV 41/25

VACUUM UNIT

DIMENSIONS



MOTORS

CPV 41/25 [3 Phase]						
ID	**POWER [Hp]**	**VOLTAGE [V]**	**FREQUENCY [Hz]**	**EFFICIENCY**	**RPM**	**Notes**
SF	1.5 1.8	Δ230 / Y400 Δ265 / Y460	50 60	IE3 ////	1400 1700	
SL	1.5 1.8	YY190-200 / Y380-400 YY200-230 / Y400-460	50 60	IE3	1400 1700	UL

07/29/2026 03:42 PM Subject to change without notice

CPV 41/25

VACUUM UNIT



ACCESSORIES

		PART NUMBER
1	Automatic condensations drainage unit	9021001
2	Automatic condensations drainage unit	9021002

07/29/2026 03:42 PM Subject to change without notice