CPV 41/25

VACUUM UNIT

TECHNICAL DATA

		CPV 41/25
Part number		9304010
Pump model		9690043
Frequency	**Hz**	50 60
Nominal flow rate	**m³/h**	40 48
Final total pressure	**mbar (Abs)**	5
Continuous operating range	**mbar (Abs)**	400 ÷ 4
Tank capacity	**dm³**	25
Maximum inlet air temperature	**°C**	40
Oil type		SW60
Noise level (UNI EN ISO 2151±3dB)	**dB(A)**	64 66
Weight	**kg**	70

29/07/2026 15:42 Subject to change without notice

CURVES





NOTE: Curves refer to suction pressure and temperature of 20°C (tolerance ±10%)

CPV 41/25

VACUUM UNIT

DIMENSIONS



MOTORS

CPV 41/25 [3 Phase]						
ID	**POWER [kW]**	**VOLTAGE [V]**	**FREQUENCY [Hz]**	**EFFICIENCY**	**RPM**	**Notes**
SF	1,1 1,35	Δ230 / Y400 Δ265 / Y460	50 60	IE3 ////	1400 1700	
SL	1,1 1,35	YY190-200 / Y380-400 YY200-230 / Y400-460	50 60	IE3	1400 1700	UL

29/07/2026 15:42 Subject to change without notice

CPV 41/25

VACUUM UNIT



ACCESSORIES

		PART NUMBER
1	Automatic condensations drainage unit	9021001
2	Automatic condensations drainage unit	9021002

29/07/2026 15:42 Subject to change without notice